




627 Amersale Drive
Naperville, IL 60563
Phone: (800) 323-5664
Fax: (630) 897-0573
sales@belson.com


Model # T40C-02

Instructions Sheet


40 GALLON TRASH RECEPTACLE W/RAIN CAP




BEFORE ASSEMBLY, PLEASE MAKE SURE ALL COMPONENTS ARE INCLUDED.




FP - FASTENER PACK
(1) - ONE FASTENER PACK




D - BAG HOLDER RING
(1) - ONE BAG HOLDER RING







B - FRAME KIT
(1) - ONE FRAME RING



C - RAIN CAP
(1) - RAIN CAP



(1) - ONE TRASH CAN LINER



A - SIDE PANEL
(4) - FOUR SIDE PANELS


BEFORE ASSEMBLY, PLEASE MAKE SURE ALL FASTENERS ARE INCLUDED.

16 - #12 X 2-1/2" FLAT HEAD PHILLIPS SCREWS




ALSO NEEDED FOR THIS ASSEMBLY WILL BE THE FOLLOWING MATERIALS:

1 - 3" PHILLIPS DRIVE BIT




STEP #1:

LAY A SIDE PANEL AS SHOWN. PLACE THE BAG HOLDER RING AT THE TOP OF THE PANEL AS SHOWN IN THE ABOVE DIAGRAM. PLACE THE FRAME RING AT THE BOTTOM OF THE PANEL, MAKING SURE THE HOLES LINE UP WITH THE PRE-DRILLED PILOT HOLES IN THE PANEL. FASTEN USING (1) ONE 2-1/2" PAN HEAD SCREW PER HOLE. REPEAT FOR THE BOTTOM OF THE PANEL.




STEP #2: PLACE ANOTHER SIDE PANEL BESIDE THE PREVIOUS PANEL, SO THAT IT TOUCHES, AS DISPLAYED IN THE DISAGRAM ABOVE. GENTLY TURN THE SIDE PANEL WITH THE RINGS INSTALLED ONTO THE NEW SIDE PANEL. MAKING SURE THE HOLES LINE UP WITH THE PRE-DRILLED PILOT HOLES IN THE PANEL. FASTEN USING (1) ONE 2-1/2" FLAT HEAD PHILLIPS SCREW PER HOLE. REPEAT THIS STEP FOR THE REST OF THE SIDE PANELS.



STEP #3:

TURN THE TRASH RECEPTACLE UPRIGHT ONTO ITS BASE. PLEASE USE CAUTION WHILE MOVING, AT THIS POINT IN ASSEMBLY, THE RECEPTACLE WILL WEIGH APPROXIMATELY 145 POUNDS. PLACE THE TRASH LINER INSIDE THE BASE.



STEP #4:
TO PLACE THE LID ON THE TRASH RECEPTACLE, REST IT ON THE INNER LEDGE OF THE SIDE WALLS.